


GENERAL CATALOG

HABITAT[®]
GRESS



TIPS MEMASANG KERAMIK

GUIDANCE ON INSTALLING TILES



TILE SPACER

Penggunaan tile spacer membantu menjaga jarak antar susunan keramik sama besar dan konsisten.

TILE SPACER



The utilization of tile spacer will effectively help maintain consistent spacing.

ARAH PANAH

Pasang keramik searah dengan panah di balik keramik. Pastikan semua menunjuk pada arah yang sama.

ARROW DIRECTION

Install the tiles according to line guidance as shown on the back of each tile. Be sure to face the same arrow directions.



SUSUNAN KERAMIK

Hindari pemasangan keramik susun bata. Beri jarak maksimal 20% dari sisi keramik.

TILE ARRANGEMENT


Brick-stacking assembly is non preferable. Simply give a maximum space 20-percent of the edge of tile.

LEBAR NAT

Lebar nat yang dianjurkan adalah 3-5 mm untuk keramik non-cutting, 2 mm untuk keramik cutting.

GROUT WIDTH

Leave a 3-5 mm gap between non-rectified tiles and a 2 mm gap between rectified ones.



DESAIN & MOTIF ACAK

Setiap kemasan berisi desain/motif acak untuk memberikan kesan yang lebih natural.

RANDOM DESIGNS & MOTIVES

Random designs or motives in each box are to provide visually naturalistic impressions.

Mengapa MILAN TILES lebih unggul?

WHAT MAKES MILAN TILES SUPERIOR TO OTHER?



LEBIH KUAT

Lebih kuat terhadap beban dan tahan lama

STRONGER

Have greater breaking strength and durability



LEBIH SIKU

Keramik lebih presisi sehingga mempermudah pemasangan

MORE PRECISION

Greater precision to make the installation easier



LEBIH FLEKSIBEL

Dapat digunakan sebagai keramik dinding sekaligus keramik lantai

FLEXIBLE

Entirely adaptable for use as both walls and floors



RAMAH LINGKUNGAN

Perawatannya mudah dan tidak memerlukan pemakaian zat kimia

ECO-FRIENDLY

A convenient way to manage and is unnecessary to use chemicals



PERMUKAAN NATURAL

Tampilan keramik menyerupai material alam

NATURAL SURFACE

Excellent resemblance to natural materials



Motif dan warna keramik pada katalog ini dapat sedikit berbeda dari produksi aslinya

Tonality and shade variation may vary

ICON DETAIL:


- | | | | | |
|-----------------|---------------|-------------------|-----------------------|------------|
| Wall Tile | Floor Tile | Glossy | Matt | Matt Satin |
| Glossy Textured | Matt Textured | Random Design | I Care Ceramic System | |
| Glam Effect | Pearl Effect | Tinkerbell Effect | | |

MARBLE

HABITAT
GRESS




IMPERIAL Habitat Gress



Imperial Rigato 30 x 60




Imperial Satin 30 x 60




Imperial Snow 30 x 60



Imperial Pearl 60 x 60



Imperial Satin 60 x 60



Imperial Snow 60 x 60




MAGNOLIA

Habitat Gress



60 x 60




ORNATE

Habitat Gress



60 x 60



Magnolia Gris 60 x 60



G Ornate Brown 60 x 60

TREVOR

Habitat Gress




60 x 60




VERMONT

Habitat Gress




60 x 60



Trevor Cream 60 x 60



Trevor Brown 60 x 60



Vermont Bone 60 x 60

WOOD


HABITAT[®]
GRESS

BALTIMORE

Habitat Gress



15 x 60
30 x 60



HOLZ


Habitat Gress




15 x 60
30 x 60



Baltimore Oak 30 x 60




Holz Teak 30 x 60



Holz Teak
Step Nosing
30 x 60

LIGNUM


Habitat Gress



60 x 60



15 x 60
30 x 60





RAKAU

Habitat Gress



15 x 60
30 x 60



Lignum Ebano 30 x 60



Lignum Gris 30 x 60




Rakau Blanco 30 x 60

VENEER


Habitat Gress



30 x 60



*Repetition and
random faces might
occur on each box*




Veneer Taupe 30 x 60



Veneer Deco 30 x 60

CONTEMPORARY

HABITAT
by milan ceramics



ARUBA

Habitat Gress




60 x 60



Aruba Sand 60 x 60




Aruba Ebano 60 x 60



Cemento Brown 60 x 60




Cemento Cream 60 x 60



Cemento D Gris 60 x 60




Cemento Gris 60 x 60




Cemento Brown
Step Nosing
30 x 60



Cemento Cream
Step Nosing
30 x 60



Cemento D Gris
Step Nosing
30 x 60




Cemento Gris
Step Nosing
30 x 60

CEMENTO

Habitat Gress



15 x 60
30 x 60



60 x 60





60 x 60



*Repetition and
random faces might
occur on each box*

Cemento Paxi 60 x 60



Cemento Lux 30 x 60



30 x 60



*Repetition and
random faces might
occur on each box*



Concreto Dark Gris 60 x 60



Concreto Gris 60 x 60

CONCRETO

Habitat Gress



60 x 60






Chloe Cream 60 x 60

CHLOE

Habitat Gress



60 x 60



Cortez Blanco 60 x 60



Cortez Earth 60 x 60



Cortez Gris 60 x 60



Cortez Nero 60 x 60


CORTEZ

Habitat Gress




60 x 60






Detala Blu 60 x 60




Detala Star Blu
30 x 60



Detala Blu
30 x 60




Detala Bone 60 x 60



Detala Star Bone
30 x 60




Detala Dia Bone
30 x 60



Detala Bone
30 x 60


DETALA

Habitat Gress



30 x 60

60 x 60



FORMIGO

Habitat Gress



30 x 60



Formigo Nero 30 x 60




Gravel Nero 60 x 60

GRAVEL

Habitat Gress



60 x 60



Inari Walnut 30 x 60



Inari Deco Blu 30 x 60



Inari Deco Nero 30 x 60

INARI

Habitat Gress



30 x 60



Repetition and random faces might occur on each box




Kanina Ebano 60 x 60

KANINA

Habitat Gress



60 x 60



Mantis Gris 50 x 50

MANTIS

Habitat Gress



50 x 50






Petra Blanco 60 x 60



Petra Chess 60 x 60



Petra Twist 60 x 60




Petra Ebano 60 x 60

PETRA

Habitat Gress



60 x 60



Pure White 60 x 60

PURE

Habitat Gress



60 x 60







Roca Ebano 60 x 60

ROCA


Habitat Gress



60 x 60



Techno Sand 60 x 60



Techno Gris 60 x 60

TECHNO

Habitat Gress



60 x 60



Trio 30 x 60



TRIO

Habitat Gress



30 x 60





TECHNICAL SPECIFICATION

DESCRIPTION	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	HABITAT GRESS
 Length & width (%)	ISO 10545 - 2	$\pm 0.6 \%$	$\pm 0.3 \%$
 Thickness (%)	ISO 10545 - 2	$\pm 5.0 \%$	$\pm 4.0 \%$
 Straightness of sides (%)	ISO 10545 - 2	$\pm 0.5 \%$	$\pm 0.3 \%$
 Rectangularity (%)	ISO 10545 - 2	$\pm 0.6 \%$	$\pm 0.3 \%$
 Surface Flatness (%)	ISO 10545 - 2	$\pm 0.5 \%$	- 0.15% to + 0.25%
 Water Absorption (%)	ISO 10545 - 3	$0.5\% < E \leq 3\%$	$0.5\% < E \leq 3\%$
 Modulus of Rupture (N/mm ²)	ISO 10545 - 4	Min 30 N/mm ²	≥ 30 N/mm ²
 Breaking Strength (N)	ISO 10545 - 4	Min 1100 N	Min 1200 N
 Crazing Resistance	ISO 10545 - 11	There Must Be No Crazing	Pass in 5 bar / cm ² Last 2 Hours
 Staining Resistance	ISO 10545 - 14	Min Class 3	Min Class 4
 Chemical Resistance	ISO 10545 - 13	Manufacturer to state classification	Min Class GB
 Abrasion Resistance	ISO 10545 - 7	Required	Min Class 2

PACKING INFORMATION

PALLET STANDARD	SIZE	PCS/BOX	M ² /BOX	(KG)	BOXES/PALLET	M ² /PALLET	APPROX. WEIGHT / PALLET (KG)
Local Size Pallet	60 x 60	4	1.44	31.70	48	69.12	1521.6
	30 x 60	8	1.44	31.70	42	60.48	1331.4
	15 x 60	12	1.44	31.70	40	57.6	1268.0
International Standard Pallet	60 x 60	4	1.44	31.70	48	69.12	1521.6
	30 x 60	8	1.44	31.70	42	60.48	1331.4
	15 x 60	12	1.44	31.70	40	57.6	1268.0

VISIT US
at: **MILAN** *Gallery*
CERAMICS

JAKARTA

MCG Hayam Wuruk
+6221 62311260

MCG Kelapa Gading
+6221 29578600

MCG Kemang
+6221 22715105

SURABAYA

MCG Pahlawan
+6231 5353607

MEDAN

MCG Krakatau
+6261 80033179

www.milantiles.com

customer care:
ph +6221 88320688
customercare@milantiles.com